

# Volumize **CHEEKS** for lift and contour

# SMOOTH IT Fill LINES around your nose and mouth





## **PLUMP IT**

Enhance **LIP** fullness with your desired volume

## JUVÉDERM<sup>®</sup>

COLLECTION OF FILLERS

Actual patients treated with JUVÉDERM VOLUMA® XC in the cheeks, JUVÉDERM® XC in the lines around the nose and mouth, and JUVÉDERM® Ultra XC in the lips. Results may vary.

\*Based on market share of filler brands in 2018.

#### JUVÉDERM® Injectable Gel Fillers Important Information APPROVED USES

JUVÉDERM VOLUMA® XC injectable gel is for deep injection in the cheek area to correct age-related volume loss in adults over 21.

JUVÉDERM® XC and JUVÉDERM VOLLURE™ XC injectable gels are for injection into the facial tissue for the correction of moderate to severe facial wrinkles and folds, such as nasolabial folds. JUVÉDERM VOLLURE™ XC injectable gel is for adults over 21.

JUVÉDERM® Ultra XC is for injection into the lips and perioral area for lip augmentation in adults over 21.

JUVÉDERM VOLBELLA® XC injectable gel is for injection into the lips for lip augmentation and for correction of perioral lines in adults over 21.

Please see Important Safety Information inside.

# JUVÉDERM°

#### IMPORTANT SAFETY INFORMATION

## Are there any reasons why I should not receive any JUVÉDERM® injectable gel formulation?

Do not use these products if you have a history of multiple severe allergies or severe allergic reactions (anaphylaxis), or if you are allergic to lidocaine or the Gram-positive bacterial proteins used in these products.

#### What precautions should my doctor advise me about?

- Tell your doctor if you are pregnant or breastfeeding. The safety of these products for use during pregnancy or while breastfeeding has not been studied
- The safety of JUVÉDERM VOLUMA® XC in patients under 35 years or over 65 years, the safety of JUVÉDERM® XC and JUVÉDERM® Ultra XC injectable gels in patients under 18 years, and the safety of JUVÉDERM VOLLURE™ XC and JUVÉDERM VOLBELLA® XC in patients under 22 years has not been studied
- The safety and effectiveness of JUVÉDERM VOLUMA® XC in areas other than the cheek area, JUVÉDERM® XC and JUVÉDERM VOLLURE™ XC for areas other than facial wrinkles and folds, and JUVÉDERM® Ultra XC and JUVÉDERM VOLBELLA® XC in areas other than the lips and perioral area have not been established in clinical studies
- Tell your doctor if you have a history of excessive scarring (eg, hypertrophic scarring and keloid formations) or pigmentation disorders, as use of these products may result in additional scars or changes in pigmentation
- Tell your doctor if you are planning other laser treatments or a chemical peel, as there is a possible risk of inflammation at the treatment site if these procedures are performed after treatment
- Patients who experience skin injury near the site of injection with these products may be at a higher risk for side effects
- Tell your doctor if you are on immunosuppressive therapy used to decrease the body's immune response, as use of these products may result in an increased risk of infection
- Tell your doctor if you are using medications that can prolong bleeding, such as aspirin, ibuprofen, or other blood thinners, as this may result in increased bruising or bleeding at the injection site
- Minimize strenuous exercise, exposure to extensive sun or heat, and alcoholic beverages within the first 24 hours following treatment

#### What are possible side effects?

The most commonly reported side effects with JUVÉDERM® injectable gels included injection-site redness, swelling, pain, tenderness, firmness, lumps/bumps, bruising, discoloration, and itching. For JUVÉDERM VOLBELLA® XC, dryness was also reported. For JUVÉDERM VOLUMA® XC, most side effects were moderate and lasted 2 to 4 weeks. For JUVÉDERM® XC, JUVÉDERM VOLLURE™ XC, and JUVÉDERM® Ultra XC injectable gels, most side effects were mild or moderate and lasted 14 days or less. For JUVÉDERM VOLBELLA® XC, most side effects were mild or moderate and lasted 30 days or less.

One of the risks with using these products is unintentional injection into a blood vessel, and, while rare, the complications can be serious and may be permanent. These complications, which have been reported for facial injections, can include vision abnormalities, blindness, stroke, temporary scabs, or permanent scarring.

As with all skin injection procedures, there is a risk of infection.

To report a side effect with any JUVÉDERM® product, please call Allergan at 1-800-433-8871. Please visit Juvederm.com or talk to your doctor for more information.



Actual patient treated with JUVÉDERM VOLUMA® XC in the cheeks, JUVÉDERM VOLLURE™ XC in the lines around the nose and mouth, and JUVÉDERM VOLBELLA® XC in the lips. Results may vary.

### **WHAT IS JUVÉDERM®?**

JUVÉDERM® fillers are uniquely designed to give you volume where you need it.

- Smooth, clear gels injected beneath the skin
- Made from a modified form of hyaluronic acid (HA), a naturallyoccurring sugar found in your body

# DISCOVER JUVÉDERM® BENEFITS

- Nonsurgical treatments
- Instant results
- Natural look
- Long-lasting difference

# Ready to JUVÉDERM®IT?

Ask your aesthetic specialist what's right for you.



Actual patient treated with JUVÉDERM VOLUMA® XC in the cheeks, JUVÉDERM® XC in the lines around the nose and mouth, and JUVÉDERM® Ultra XC in the lips.

Results may vary.

# JUVÉDERM **VOLUMA® XC**

When you're young, cheeks are full and round. As you age:

- Your cheek area loses its youthful shape
- Your cheeks flatten
- Your skin may begin to sag

JUVÉDERM VOLUMA® XC is designed to add volume to your cheeks, giving you a smoother, natural-looking contour and a more youthful look.\*

The **longest-lasting** HA filler available lasts up to 2 years<sup>†</sup>

LIFT CHEEKS

Actual patient treated with JUVÉDERM VOLUMA® XC in the cheeks, JUVÉDERM® XC in the lines around the nose and mouth, and JUVÉDERM® Ultra XC in the lips. Results

JUVÉDERM VOLUMA® XC injectable gel is for deep injection in the cheek area to correct age-related volume loss in adults over 21.

- The most commonly reported side effects included injection-site redness, swelling, pain, tenderness, firmness, lumps/bumps, bruising, discoloration,
- Most side effects were moderate and lasted 2 to 4 weeks

Please see Important Safety Information on pages 2 and 3.

\*Patients perceived themselves as looking 5 years younger at 6 months after treatment and 3 years younger at 2 years after treatment, as reported by people in the clinical study. Results may vary. †With optimal treatment.

#### Discover a more youthful appearance





**AFTER** 

**Actual patient. Results may vary.** Unretouched photos taken before treatment and 1 month after treatment. A total of 4.0 mL of JUVÉDERM VOLUMA® XC was injected into the cheek area.

SEE MORE RESULTS AT JUVEDERM.COM

#### Add volume for lift and contour





**Actual patient. Results may vary.** Unretouched photos taken before treatment and 1 month after treatment. A total of 3.5 mL of JUVEDERM VOLUMA® XC was injected into the cheek area.



#### JUVÉDERM **VOLLURE**™ **XC**

#### JUVÉDERM **XC**

Over time, your skin loses elasticity.
This natural process, plus genetics and environmental factors like sun exposure, can cause wrinkles and lines.

There are different JUVÉDERM® fillers designed to give you a **smoother** appearance, whether you want **subtle volume** or **a little extra volume**.

JUVÉDERM VOLLURE™ XC is the **longest-lasting** HA filler for this area—lasts up to 18 months\*

\*With optimal treatment.

JUVÉDERM® XC and JUVÉDERM VOLLURE™ XC injectable gels are for injection into the facial tissue for the correction of moderate to severe facial wrinkles and folds, such as nasolabial folds. JUVÉDERM VOLLURE™ XC injectable gel is for adults over 21.

- The most commonly reported side effects included injection-site redness, swelling, pain, tenderness, firmness, lumps/bumps, bruising, discoloration, and itching
- Most side effects were mild or moderate and lasted 14 days or less

Please see Important Safety Information on pages 2 and 3.

Actual patient treated with JUVÉDERM VOLUMA\* XC in the cheeks, JUVÉDERM® XC in the lines around the nose and mouth, and JUVÉDERM® Ultra XC in the lips. Results may vary.

#### **Smooth** your appearance





**Actual patient. Results may vary.** Unretouched photos taken before treatment and 1 month after treatment. A total of 2.3 mL of JUVÉDERM VOLLURE™ XC was injected into the parentheses, corner, and marionette lines.



calls JUVÉDERM VOLLURE™ XC a "**smooth operator**."

#### **Soften deepening lines**





**Actual patient. Results may vary.** Unretouched photos taken before treatment and 2 weeks after treatment. A total of 3.2 mL of JUVÉDERM® XC was injected into the parentheses, corner, and marionette lines.



JUVÉDERM **ULTRAXC** 

#### JUVÉDERM **VOLBELLA® XC**

Lip fullness varies from person to person. Some people were born with thinner lips; others have seen their lips get thinner over time.

JUVÉDERM® has 2 unique fillers for the lips—whether you want a plumper appearance or subtle volume.

The longest-lasting HA fillers for the lips — last up to 1 year\*

JUVÉDERM® Ultra XC is for injection into the lips and perioral area for lip augmentation in adults over 21.

JUVÉDERM VOLBELLA® XC injectable gel is for injection into the lips for lip augmentation and for correction of perioral lines in adults over 21.

 The most commonly reported side effects included injection-site redness, swelling, pain, tenderness, firmness, lumps/bumps, bruising, discoloration, \*With optimal treatment.

- For JUVÉDERM VOLBELLA® XC, dryness was also reported
- Most side effects were mild or moderate
- Side effects lasted 14 days or less for JUVÉDERM® Ultra XC and 30 days or less for JUVÉDERM VOLBELLA® XC

#### Get plump, natural-looking lips





**Actual patient. Results may vary.** Unretouched photos taken before treatment and 1 month after treatment. A total of 1.6 mL of JUVÉDERM® Ultra XC was injected into the lips.

SEE MORE RESULTS AT **JUVEDERM.COM** 

#### **Enhance lip fullness**





**Actual patient. Results may vary.** Unretouched photos taken before treatment and 1 month after treatment. A total of 1.5 mL of JUVÉDERM® Ultra XC was injected into the corner lines and lips for lip augmentation.

#### Add volume for a subtle plump





Actual patient. Results may vary. Unretouched photos taken before treatment and 1 month after treatment. A total of 1.2 mL of JUVÉDERM VOLBELLA® XC was injected into the lips.

JUVÉDERM VOLBELLA® XC A top in-office treatment in 2019\*



\*JUVÉDERM VOLBELLA® XC was selected as one of the top in-office treatments in 2019 by the editors of *NewBeauty®* magazine.

#### **Soften** the appearance of lip lines





**Actual patient. Results may vary.** Unretouched photos taken before treatment and 1 month after treatment. A total of 2.1 mL of JUVÉDERM VOLBELLA® XC was injected into the corner lines and lips for lip augmentation, and into the vertical lip lines.



### SEE IT. BELIEVE IT.

#### **CHEEKS · LINES · LIPS**



BEFORE



#### AFTER

Actual patient. Results may vary. Unretouched photos taken before treatment and 1 month after treatment. A total of 1.4 mL of JUVÉDERM VOLUMA® XC was injected into the cheek area. A total of 2.9 mL of JUVÉDERM VOLLURE™ XC was injected into the parentheses and marionette lines. A total of 2.2 mL of JUVÉDERM VOLBELLA® XC was injected into the lips for lip augmentation, and into the vertical lip lines.

SEE MORE RESULTS AT JUVEDERM.COM



BEFORE



**AFTER** 

Actual patient. Results may vary. Unretouched photos taken before treatment and 1 month after treatment. A total of 2.6 mL of JUVÉDERM VOLUMA® XC was injected into the cheek area. A total of 3.1 mL of JUVÉDERM® XC was injected into the parentheses, corner, and marionette lines. A total of 0.7 mL of JUVÉDERM® Ultra XC was injected into the lips.

# **JUVÉDERM® IT**

#### SEE IT. BELIEVE IT.

#### **CHEEKS · LINES**





AFTER

**Actual patient. Results may vary.** Unretouched photos taken before treatment and 1 month after treatment. A total of 1.6 mL of JUVÉDERM VOLUMA® XC was injected into the cheek area. A total of 1.8 mL of JUVÉDERM® XC was injected into the parentheses lines.

SEE MORE RESULTS AT JUVEDERM.COM



#### JOIN IT.

Sign up today at **BDProgram.com**, or download the app.

#### EARN IT.

Collect points when you **JUVÉDERM® IT**.

#### REDEEM IT.

Use your points for savings on future Allergan aesthetic treatments or products.

## **JUVÉDERM® IT**

#1 CHOSEN FILLER COLLECTION\*

#### Ask how you can **JUVÉDERM® IT**.

- Nonsurgical treatments
- Instant results
- Natural look
- Long-lasting difference

## **f o** JUVEDERM.COM



# JUVÉDERM°

#### Please see Important Safety Information on pages 2 and 3.

Actual patients treated with JUVÉDERM VOLUMA® XC in the cheeks, JUVÉDERM® XC in the lines around the nose and mouth, and JUVÉDERM® Ultra XC in the lips. Results may vary.

\*Based on market share of filler brands in 2018.

